# Safety Data Sheet

1539FH



### 1 Material and Supplier Identification

Margarita Shine	
Odor Control	
Use only for the purpose on product label. This product is prior dilution if specified on product label.	s not intended to be used without
iShine 2101 Adams Ave San Diego, CA 92116 (619) 674-0981 (Customer Service)	
(800) 255-3924 USA (813)248-0585 International (Cher	mtel 24 hrs)
Eye Irritation: Category 2B Skin Irritation: Category 3	Pictogram No Pictogram
WARNING	
Causes eye irritation. Causes mild skin irritation	
KEEP OUT OF REACH OF CHILDREN. Read label befor	re use.
Wash hands thoroughly after handling.	
IF ON SKIN: Take off contaminated clothing and wash before re- irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Re- easy to do. Continue rinsing. If eye irritation persists: Get medic IF INHALED: Remove person to fresh air and keep comfortable call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get	move contact lenses, if present and al attention. for breathing. If problem persists,
	Odor Control Use only for the purpose on product label. This product is prior dilution if specified on product label. <b>iShine</b> 2101 Adams Ave San Diego, CA 92116 (619) 674-0981 (Customer Service) (800) 255-3924 USA (813)248-0585 International (Che Eye Irritation: Category 2B Skin Irritation: Category 2B Skin Irritation: Category 3  WARNING Causes eye irritation. Causes mild skin irritation  KEEP OUT OF REACH OF CHILDREN. Read label befo Wash hands thoroughly after handling.  IF ON SKIN: Take off contaminated clothing and wash before re irritation persists: Get medical attention.  IF IN EYES: Rinse cautiously with water for several minutes.Re easy to do. Continue rinsing. If eye irritation persists: Get medical IF INHALED: Remove person to fresh air and keep comfortable call a Poison Center or get medical attention.

Hazardous Ingredients	CAS Number	Concentration Range %
Alcohols, Ethoxylated	68002-97-1	1-5
Propylene Glycol	57-55-6	1-5

4 First Aid Measures	
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures			
Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.		
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of		
	skin, eyes, and personal clothing. Provide sufficient ventilation.		

Environmental Precautions:If contamination of sewers or waterways has occurred, advise local emergency services.Methods for Containment and<br/>Cleaning Up:Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent<br/>contamination of sewers or waterways. Neutralization agent is not recommended within<br/>building, as toxic vapors may be omitted. Properly dispose of used absorbents in<br/>accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

8 Exposure Controls/Personal Protection					
Control Parameters:					
Hazardous Ingredients	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>NIOSH IDLH</u>		
Alcohols, Ethoxylated	N/A	N/A	N/A		
Propylene Glycol	N/A	N/A	N/A		

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.		
Personal Protection			
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.		
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.		
Skin Protection:	Use apron if splashing or spray-back is likely.		
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.		
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.		
9 Physical and Chemical P	roperties		

Physical State:	Liquid	Specific Gravity:	0.99	Vapour Pressure (mm Hg):	< 17 mm Hg
Color:	Yellow	Evaporation Rate:	< 1	Vapour Density:	> 1
Odor:	Floral	Solubility in Water:	Complete	Freezing Point (°F):	< 32
pH:	5-6	VOC (g/L):	<55	Boiling Point (°F):	> 212
				Flash Point (°F):	> 200
		< means less than	I	> means greater than	

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

#### 10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

6/10/2019	1539FH	Margarita Shine	Page 3 of 5

## 11 Toxological Information

Eye Contact:       Adverse symptoms may include the following: irritation, redness         Skin Contact:       Adverse symptoms may include the following: irritation, redness         Inhalation:       Adverse symptoms may include the following: isritation, coughing         Inhalation:       Adverse symptoms may include the following: isritation, coughing         Acute Toxicity:       Eye Contact:       May cause eye irritation.         Inhalation:       Inhalation:       May cause eye irritation.         Inhalation:       May cause eye irritation.       Inhalation:         Inhalation:       May cause eye irritation.       Base is information.         Lobols:       Lobol. Ingestion       Rat       20000 mg/kg         Lobol:       Lobol. Do Oral       Rat       20000 mg/kg         Inhal	Symptoms:						
Inhalation: ingestion:Adverse symptoms may include the following: respiratory tract irritation, coughing Adverse symptoms may include the following: stomach painsAcute Toxicity:Eye Contact: May cause evel irritation. Inhalation: Ingestion:May cause evel irritation. May cause evel irritation. Inhalation: May cause evel irritation. Ingestion:May cause evel irritation. May cause evel irritation. Inhalation: May cause evel irritation. Ingestion:May cause evel irritation. May cause evel irritation. May cause evel irritation. Inhalation: May cause evel irritation. Ingestion:May cause evel irritation. May cause evel irritation. Inhalation: May cause evel irritation. Ingestion:May cause evel irritation. May cause evel irritation. Inhalation: Inhalation: May cause evel irritation. Inhalation: May cause evel irritation. Inhalation: Inhalation: May cause evel irritation. Inhalation: May cause evel irritation. Inhalation: Inhal	Cymptoms.						
Ingestion: Adverse sýmptoms may include the following: stomach pains Acute Toxicity: Eye Contact: May cause eye irritation. Skin Contact: May cause eye irritation. Inhalation: May cause eyes in irritation. Inhalation: May cause eyes in irritation. Inhalation: May cause sexin irritation. Inhalation: May cause sexin irritation. Ingestion: May cause burns to mouth, throat and stomach. Toxicity Data: Hazardous Ingredients Acute Toxicity: Acute Toxicity: No data available. Acute Toxicity: No data available. Acute Toxicity: Mazardous Ingredients Acute Toxicity: Contact: No known significant effects or critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Toxicity: Contact: No known significant effects or Critical hazards Acute Cool Daphnia 1-10 mg/148 hr Copylene Glycol LC 50 Fish (Pimephales promelas) 51400 mg/l/96 hrs EC50 Microtox 710 mg/l/30 min EC50 Daphnia 30000 mg/L 48 hrs Cother Adverse Effects: No known significant effects or critical hazards. Acute Cool Microtox 710 mg/l/30 min EC50 Daphnia 30000 mg/L 48 hrs Disposal Considerations Disposal Methods: Diluted product can be flushed to sanitary sever. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. Cretain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. Conoun Transport							
Acute Toxicity: Eye Contact: May cause eye irritation. Skin Contact: May cause skin irritation. Ingestion: May cause skin irritation. Ingestion: May cause burns to mouth, throat and stomach. Toxicity Data: Hazardous Ingredients Alcohols, Ethoxylated LD 50- Ingestion Rat >500 - 200 mg/kg LD 50- Dermal Rat >2000 mg/kg Propylene Glycol LD 50- Oral Rat 2000 mg/kg Chronic Effects: No known significant effects or critical hazards  12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: Hazardous Ingredients Alcohols, Ethoxylated LC 50 Fathead minnow 8.5 mg/l 96 hrs LC 50 Fathead minnow 8.5 fmg/l 96 hrs LC 50 Fish (Pinephales promelas) 51400 mg/l/96 hrs LC 50 Fish (Oncorhynchus mykiss) 51600 mg/l/96 hrs EC50 Microtox 710 mg/l/30 min EC50 Daphnia Magna >10000 mg/L 48 hrs Other Adverse Effects: No known significant effects or critical hazards.  13 Disposal Considerations Dispose of waste in accordance with federal, state, and local regulations.  14 Transportation Information Ecota provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.  Certain shipping modes or package sizes may have exceptions and may not apply to all shipping modes or package sizes.							
Eye Contact: Nay cause eye irritation. May cause eskin irritation. Inhalation: May cause eskin irritation. Ingestion:May cause eskin irritation. May cause esticatory irritation.Toxicity Data: Hazardous IngredientsResult LD 50- OralSpecies RatDoseChronic Effects:No known significant effects or critical hazardsNo kata available.Aquatic Toxicity: Hazardous IngredientsNo data available.Dose ResultDose SpeciesActivation ConsisterNo data available.Dose ResultDose SpeciesDose ActivationPropylene GlycolLC 50Fathead minnow LC 508.5 mg/l 96 hrs 1-10 mg/l 48 hrPropylene GlycolLC 50Fish (Pimephales promelas)51400 mg/l/96 hrs 51400 mg/l/96 hrs EC50Cother Adverse Effects:No known significant effects or critical hazards.Down with advantage 10000 mg/L 48 hrsOther Adverse Effects:No known significant effects or critical hazards.Dispose of waste in accordance with federal, state, and local regulations.Hazardous Ingredientions:Diluted product can be flushed to sanitary sever. Discard empty container in trash. Dispose		Ingestion:	Adverse sym	ptoms may include	e the following: stomach pains		
Skin Contact: inhalation: inhalation: inhalation: May cause respiratory irritation. May cause respiratory irritation. May cause respiratory irritation. May cause respiratory irritation.Toxicity Data: Hazardous Ingredients Alcohols, EthoxylatedResult LD 50- Ingestion LD 50- Dermal RatDose Active SpeciesAlcohols, EthoxylatedNo function LD 50- Dermal LD 50- OralRat> 500 - 200 mg/kg 20000 mg/kgPropylene GlycolLD 50- Dermal LD 50- OralRat> 20000 mg/kgChronic Effects: totonic Effects:No known significant effects or critical hazardsTextPropylene GlycolDoseAquatic Toxicity: Hazardous Ingredients Alcohols, EthoxylatedResult LC 50 LC 50Species Pathead minnow LC 50Dose A.5 mg/l 96 hrsAlcohols, EthoxylatedResult LC 50 LC 50Species Pathead minnow LC 50Dose A.5 mg/l 96 hrsPropylene GlycolLC 50 LC 50 LC 50 LC 50Daphnia1-10 mg/l 48 hrPropylene GlycolLC 50 LC 50Fish (Pimephales promelas)51400 mg/l/96 hrsCotonEC50 LC 50Daphnia Magna>10000 mg/L 48 hrPropylene GlycolDisk or unsignificant effects or critical hazards.Disposal ConsiderationsDispose of waste in accordance with federal, state, and local regulations.Dispose of waste in accordance with federal, state, and local regulations.Hat Tansportation Informatio- Dispose of package sizes may have exceptions and may reserver to call shipping modes or package sizes may have exceptions and may apply to all shipping modes or package sizes.	Acute Toxicity:	Evo Contact:	May cause o	wo irritation			
Inhalation: Ingestion:May cause respiratory irritation. May cause burns to mouth, throat and stomach.Toxicity Data: Hazardous IngredientsKesultSpeciesDoseAlcohols, EthoxylatedLD 50- IngestionRat> 500 - 200 mg/kgLD 50- DermalRat> 20000 mg/kgPropylene GlycolLD 50- OralRat20000 mg/kgChronic Effects:No known significant effects or critical hazardsDeseActorolis, EthoxylatedNo data available.Aquatic Toxicity: Hazardous IngredientsNo data available.Aquatic Toxicity: Hazardous IngredientsSpeciesDoseAlcohols, EthoxylatedLC 50Fathead minnow8.5 mg/l 96 hrsAlcohols, EthoxylatedLC 50Fathead minnow8.5 mg/l 96 hrsAlcohols, EthoxylatedLC 50Fish (Pimephales promelas)51400 mg/l/96 hrsPropylene GlycolLC 50Fish (Oncorthynchus mykiss)51600 mg/l/96 hrsEC50Microtox710 mg/l/30 minEC50Daphnia Magna>100000 mg/L 48 hrsOther Adverse Effects:No known significant effects or critical hazards.To Jipose of waste in accordance with federal, state, and local regulations.Dispose of waste in accordance with federal, state, and local regulations.Certain shipping modes or package sizes may have exceptions from the transport regulations.The classification provided may not refer those exceptions and may ply to all shipping modes or package sizes. <td></td> <td>-</td> <td>•</td> <td>•</td> <td></td> <td></td>		-	•	•			
Toxicity Data: Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLD 50- IngestionRat>500 - 200 mg/kgLD 50- DermalRat>2000 mg/kgPropylene GlycolLD 50- OralRat>2000 mg/kgChronic Effects:No known significant effects or critical hazards12 Ecological InformationEcotoxicity:No data available.Aquatic Toxicity:Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLC 50Fathead minnow8.5 mg/l 96 hrsLC 50Daphnia1-10 mg/l 48 hrPropylene GlycolLC 50Fish (Pimephales promelas)51400 mg/l/96 hrsLC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsLC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsEcS0Daphnia>10000 mg/l/48 hrPropylene GlycolLC 50Fish (Oncorhynchus mykiss)Other Adverse Effects:No known significant effects or critical hazards.13 Disposal ConsiderationsDiluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.Certain shipping modes or package sizes may have exceptions from the transport regulations.Totagsification provided may not refect those exceptions and may not apply to all shipping modes or package sizes. Ground Transport			•				
Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLD 50- IngestionRat>500 - 200 mg/kgDropylene GlycolLD 50- OralRat>20000 mg/kgPropylene GlycolLD 50- OralRat20000 mg/kgChronic Effects:No known significant effects or critical hazardsIt Ecological InformationIt Ecological InformationKessultSpeciesDoseAduation Significant effects or critical hazardsAduation Significant effectsAduation Significant effectsAduation Significant effectsAduation Significant effectsAduation Significant effectsPropylene GlycolResultSpeciesDoseLC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsLC 50LC 50Daphnia1-10 mg/l/30 minEC50LC 50Daphnia Magna>10000 mg/L 48 hrsDisposal ConsiderationsDisposal ConsiderationsDisposal ConsiderationsDiluted product can be flushed to sanitary sewer. Discard empt container in trash. Dispose of waste in accordance with federal, state, and local regulations.Certain shipping modes		Ingestion:	May cause b	ourns to mouth, thro	bat and stomach.		
Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLD 50- IngestionRat>500 - 200 mg/kgLD 50- DermalRat>20000 mg/kgPropylene GlycolLD 50- OralRat20000 mg/kgChronic Effects:No known significant effects or critical hazardsIt Ecological InformationIt Ecological InformationIt Ecological InformationNo data available.Aquati Toxicity:Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLC 50Fathead minnow8.5 mg/l 96 hrsLC 50LC 50Daphnia1-10 mg/l 48 hrPropylene GlycolLC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsLC 50LC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsLC 50EC50Microtox710 mg/l/30 minEC50Daphnia Magna>10000 mg/L 48 hrsOther Adverse Effects:No known significant effects or critical hazards.It 3 Disposal ConsiderationsDiluted product can be flushed to sanitary sewer. Discard empt container in trash. Dispose of waste in accordance with federal, state, and local regulations.Certain shipping modes or package sizes may have exceptions from the transport regulations.The classification provided may not reduct those servers and have servers and have sizes. Sirvers and have sizes. Sirvers Transport	Toxicity Data:						
Alcohols, EthoxylatedLD 50- Ingestion LD 50- DermalRat>500 - 200 mg/kgPropylene GlycolLD 50- OralRat20000 mg/kgChronic Effects:No known significant effects or critical hazards <b>12 Ecological Information</b> Ecotoxicity:No data available. <b>Acy of the available</b> . <b>Acy of the available</b> .<	-	edients		<u>Result</u>	<u>Species</u>	Dose	
Propylene Glycol       LD 50- Oral       Rat       20000 mg/kg         Chronic Effects:       No known significant effects or critical hazards <b>12 Ecological Information</b> Ecotoxicity:       No data available.         Aquatic Toxicity:       No data available.         Hazardous Ingredients       Result       Species       Dose         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         LC 50       Daphnia       1-10 mg/l 48 hr         Propylene Glycol       LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs       EC50         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs       EC50         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs       EC50         LC 50       Daphnia Magna       >10000 mg/L 48 hrs       No         Other Adverse Effects:       No known significant effects or critical hazards.       Integer of waste in accordance with federal, state, and local regulations.         Disposal Methods:       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> E	Alcohols, Ethoxy	lated		LD 50- Ingestion	Rat	>500 - 200 mg/kg	
Chronic Effects:       No known significant effects or critical hazards         12 Ecological Information         Ecotoxicity:       No data available.         Aquatic Toxicity:       No data available.         Hazardous Ingredients       Result       Species       Dose         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         LC 50       Daphnia       1-10 mg/l 48 hr         Propylene Glycol       LC 50       Fish (Pimephales promelas)       51400 mg/l/96 hrs         EC50       Microtox       710 mg/l/30 min       EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs       Steese       Disposal Considerations         Disposal Methods:       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.         14 Transportation Information       Certain shipping modes or package sizes may have exceptions from the transport regulations.       The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.				LD 50- Dermal	Rat	>2000 mg/kg	
Chronic Effects:       No known significant effects or critical hazards         12 Ecological Information         Ecotoxicity:       No data available.         Aquatic Toxicity:       No data available.         Hazardous Ingredients       Result       Species       Dose         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         LC 50       Daphnia       1-10 mg/l 48 hr         Propylene Glycol       LC 50       Fish (Pimephales promelas)       51400 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs       EC50         Disposal Considerations       EC50       Daphnia Magna       >10000 mg/L 48 hrs         Disposal Methods:       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.         14 Transportation Information       Certain shipping modes or package sizes may have exceptions from the transport regulations.         Certain shipping modes or package sizes may have exceptions and may not apply to all shipping modes or package sizes. Ground Transport	Propylene Glyco	I		LD 50- Oral	Rat	20000 mg/kg	
I Ecological Information         Ecotoxicity: No data available.         Aquatic Toxicity:       No data available.         Hazardous Ingredients       Result       Species       Dose         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         LC 50       Daphnia       1-10 mg/l 48 hr         Propylene Glycol       LC 50       Fish (Pimephales promelas)       51400 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs       EC50         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs       EC50         EC50       Microtox       710 mg/l/30 min       EC50         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards.       I         13 Disposal Considerations       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.         14 Transportation Information       Ecrain shipping modes or package sizes may have exceptions from the transport regulations.         Certain shipping modes or package sizes may have exceptions and may not apply to all shipping modes or package sizes.						0.0	
Ecotoxicity:       No data available.         Aquatic Toxicity:       Hazardous Ingredients       Result       Species       Dose         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         Propylene Glycol       LC 50       Fish (Pimephales promelas)       51400 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards.         13 Disposal Considerations       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.         14 Transportation Information       Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. Ground Transport	Chronic Effects:		No known s	significant effects or	r critical hazards		
Aquatic Toxicity:       Result       Species       Dose         Alcohols, Ethoxylated       LC 50       Fathead minnow       8.5 mg/l 96 hrs         Alcohols, Ethoxylated       LC 50       Pathead minnow       8.5 mg/l 96 hrs         Propylene Glycol       LC 50       Pish (Pimephales promelas)       51400 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         LC 50       Microtox       710 mg/l/30 min         EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards.         13 Disposal Considerations       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.         14 Transportation Information       Dispose of waste in accordance with federal, state, and local regulations.         Certain shipping modes or package sizes may have exceptions from the transport regulations.       The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.	12 Ecologica	al Information					
Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLC 50Fathead minnow8.5 mg/l 96 hrsAlcohols, EthoxylatedLC 50Daphnia1-10 mg/l 48 hrPropylene GlycolLC 50Fish (Pimephales promelas)51400 mg/l/96 hrsLC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsEC 50Microtox710 mg/l/30 minEC 50Daphnia Magna>10000 mg/L 48 hrsOther Adverse Effects:No known significant effects or critical hazards.Isiposal ConsiderationsDisposal Methods:Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.Tertation InformationCertain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.	Ecotoxicity:		No data ava	ailable.			
Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLC 50Fathead minnow8.5 mg/l 96 hrsAlcohols, EthoxylatedLC 50Daphnia1-10 mg/l 48 hrPropylene GlycolLC 50Fish (Pimephales promelas)51400 mg/l/96 hrsLC 50Fish (Oncorhynchus mykiss)51600 mg/l/96 hrsEC 50Microtox710 mg/l/30 minEC 50Daphnia Magna>10000 mg/L 48 hrsOther Adverse Effects:No known significant effects or critical hazards.Isiposal ConsiderationsDisposal Methods:Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.Tertation InformationCertain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.	Aquatic Toxicit	y:					
Image: LC 50       Daphnia       1-10 mg/l 48 hr         Propylene Glycol       LC 50       Fish (Pimephales promelas)       51400 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         LC 50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards. <b>13 Disposal Considerations</b> Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.	-	-		<u>Result</u>	<u>Species</u>	<u>Dose</u>	
Propylene Glycol       LC 50       Fish (Pimephales promelas)       51400 mg/l/96 hrs         LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         LC 50       Microtox       710 mg/l/30 min         EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards. <b>13 Disposal Considerations</b>	Alcohols, Ethoxy	/lated		LC 50	Fathead minnow	8.5 mg/l 96 hrs	
LC 50       Fish (Oncorhynchus mykiss)       51600 mg/l/96 hrs         EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards.         13 Disposal Considerations				LC 50	Daphnia	1-10 mg/l 48 hr	
EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards. <b>13 Disposal Considerations</b> Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.	Propylene Glyco	bl		LC 50	Fish (Pimephales promelas)	51400 mg/l/96 hrs	
EC50       Microtox       710 mg/l/30 min         EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards. <b>13 Disposal Considerations</b> Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.				LC 50	Fish (Oncorhynchus mykiss)	51600 mg/l/96 hrs	
EC50       Daphnia Magna       >10000 mg/L 48 hrs         Other Adverse Effects:       No known significant effects or critical hazards.         13 Disposal Considerations				EC50		-	
Other Adverse Effects:       No known significant effects or critical hazards. <b>13 Disposal Considerations</b> Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.				EC50	Daphnia Magna	-	
<b>13 Disposal Considerations</b> Disposal Methods:       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.		-ffa ata i		ionificant offects of		0	
Disposal Methods:       Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations. <b>14 Transportation Information</b> Certain shipping modes or package sizes may have exceptions from the transport regulations.         The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.	Other Adverse E		NO KNOWN S				
Dispose of waste in accordance with federal, state, and local regulations.  14 Transportation Information Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. Ground Transport	13 Disposal (	Considerations	6				
Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. <u>Ground Transport</u>							
The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. Ground Transport	14 Transport	ation Informati	ion				
The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. Ground Transport	Certain shipping	modes or package	e sizes may hav	ve exceptions from	the transport regulations.		
DOT Classification: Not Regulated	The classification	n provided may not	•			es or package sizes.	
	DOT Classification: Not Regulated						
UN Number:	UN Number:	UN Number:					
Transport Hazard Class:	Transport Hazar	d Class:					
	Packaging Group:		N/A	N/A			
Hazardous Division:	Hazardous Divis	ion:					

Hazardous Contents:

## 15 Regulatory Information

6/10/2019

1539FH

California Proposition 65: Other Regulations:	No		
16 Other Information			
16 Other Information			

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult iShine.